JAN 2 ' .		
Form PTO 1449		Greenlee, Winner and Sullivan, P.C., 01/21/04
ATTY DOCKET NO. 133-02	SERIAL NO. 10/720,025	FILING DATE 21 November 2003
APPLICANT Chaikof		GROUP

U.S. PATENT DOCUMENTS

			T TOTAL TOTA	1		T
Exmr. Initial	Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate
	6,583,251	06/24/03	Chaikof et al.	526	277	
	6,171,614	01/09/01	Chaikof et al.	424	450	
	6,071,532	06/06/00	Chaikof et al.	424	450	
	5,911,942	06/15/99	Fofonoff et al.	264	444	
	5,755,788	05/26/98	Strauss	623	11	
	5,741,325	04/21/98	Chaikof et al.	623	1	
300000000000000000000000000000000000000	5,536,632	09/17/96	Konererai.	424	423	***************************************
	5,429,618	07/04/95	Keogh	604	266	
	5,417,969	05/23/95	Hsu et al.	424	78	
	5,399,331	03/21/95	Loughrey et al.	424	450	
	5,288,517	02/22/94	Kanno et al.	427	244	
	5,071,532	12/10/91	Taillet et al.	204	228	
	4,906,465	03/06/90	Chaikof et al.	424	78	
	4,880,883	11/14/89	Grasel et al.	535	454	
	4,560,599	12/24/85	Regen	428	36	
	4,522,803	06/11/85	Lenk et al.	424	1.1	
	4,485,045	11/27/84	Regen	260	403	

FOREIGN PATENT DOCUMENTS

Document Number	Date	Country	Class	Subclass	Translation Yes/No
WO 01/80921 (PCT/US01/12918)	20.04.01	PCT	A61L	31/00	
 WO 00/00239	06.01.00	PCT	A61L	33/00	
 WO 98/16198	23.04.98	PCT	A61K	9/127	
WO 96/21469	18.07.96	PCT	A61K	47/48	


Page 1 of 27

	<i></i>	
Form PTO 1449	A STEEL	Greenlee, Winner and Sullivan, P.C., 01/21/04
ATTY DOCKET NO. 133-02	SERIAL NO. 10/720,025	FILING DATE 21 November 2003
APPLICANT Chaikof		GROUP


WO 01/78800 (PCT/US01/12094)	13.04.01	PCT	A61L	33/00	
WO 02/09647 (PCT/US01/24020)	30.07.01	PCT	A61K		
WO 02/055021 (PCT/US02/01030)	14.01.02	PCT	A61K		

OTHER PRIOR ART (including Author, Title, Date, Pertinent Pages, etc.)


017	HER PRIOR ART (including Author, Title, Date, Pertinent Pages, etc.)
	Akagawa, M. and Suyama, K., "Mechanism of formation of elastin crosslinks," (2000) Connect. Tissue Res. 41(2):131-141
	Akita, K. et al., "Effect of FK506 and anti-CD4 therapy on fetal pig pancreas xenografts and host lymphoid cells in NOD/Lt, CBA, and BALB/c mice, (1994) Cell Transplantation 3(1):61-73
	Anderson et al., "Bioactive silk-like protein polymer films on silicon devices," Alper, M., Bayby, H., Kaplan, D. and Navia, M., ed.; <i>Materials Research Society Symp Proc.</i> : Pittsburgh, PA; 1994, 330:171-177
	Andree, H.A.M. et al., "Transport rate limited catalysis on macroscopic surfaces: the activation of factor X in a continuous flow enzyme reactor," (1994) Biochemistry 33(14):4368-4374
	Aoi, K. et al., "Glycopeptide synthesis by an α-amino acid N-carboxyanhydride (NCA) method: ring-opening polymerization of a sugar-substituted NCA," (1994) Macromolecules 27:875-877
	Aoi, K. et al., "Architectural control of sugar-containing polymers by living polymerization: ring-opening polymerization of 2-oxazolines initiated with carbohydrate derivatives," (1992) <i>Macromolecules</i> 25:7073-7075
	Arnander, C. and Olsson, P., "Influence of blood flow and the effect of protamine on the thromboresistant properties of a covalently bonded heparin surface," (1988) <i>J. Biomed. Mater. Res.</i> 22(10):859-868
	Balachander, N. and Sukenik, C.N., "Monolayer transformation by nucleophilic substitution: applications to the creation of new monolayer assemblies," (1990) Langmuir 6(11):1621-1627
	Basmadjian, D. et al., "Coagulation on biomaterials in flowing blood: some theoretical considerations," (1997) <i>Biomaterials</i> 17(23):1511-1522
	Basmadjian, D. and Sefton, M.V., "Relationship between release rate and surface concentration for heparinized materials," (1983) Journal of Biomedical Materials Research 17(3):509-518




Beyer, D. et al., "Covalently attached polymer mono- and multilayers on silanized glass substrates," (1996) <i>Thin Solid Films</i> 285:825-828
Bierbaum, K. et al., "A near edge X-ray absorption fine structure spectroscopy and X-ray photoelectron spectroscopy study of the film properties of self-assembled monolayers of organosilanes on oxidized Si(100)," (1995) Langmuir 11:512-518
Biessen, E.A.L. et al., "Synthesis of cluster galactosides with high affinity for the hepatic asialoglycoprotein receptor," (1995) <i>J. Med. Chem.</i> 38:1538-1546
Billy, D. et al., "Prothrombin activation by prothrombinase in a tubular flow reactor," (1995) <i>J. Biol. Chem.</i> 270(3):1029-1034
Biro, S. et al., "Expression and subcellular distribution of basic fibroblast growth factor are regulated during migration of endothelial cells," (1994) <i>Circ. Res.</i> 74:485-494
Bitomsky, W. and Wade, R.C., "Docking of glycosaminoglycans to heparin-binding proteins: validation for aFGF, bFGF, and antithrombin and application to IL-8," (1999) <i>J. Am. Chem. Soc.</i> 121:3004-3103
Björquist, P. et al., "Determination of the inetic constants of tissue factor/factor VII/factor VIIA and antithrombin/heparin using surface plasmon resonance," (1997) <i>Thromb. Res.</i> 85(3):225-236
Blezer, R. et al., "Initiation and propagation of blood coagulation at artificial surfaces studied in a capillary flow reactor," (1998) <i>Thromb. Haemostasis</i> 79(2):296-301
Blezer, R. et al., "Activation of blood coagulation at heparin-coated surfaces," (1997) J. Biomedical Materials Research 37(1):108-113
Bon, S.A.F. and Haddleton, D.M., "Amphiphilic copolymers by atom transfer polymerization with carbohydrate-based initiators and monomers," (1999) <i>Polym. Prepr.</i> (Am. Chem. Soc., Div. Polym. Chem.) 40(2):248-249
Bourin, M.C. and Lindahl, U., "Glycosaminoglycans and the regulation of blood coagulation," (1993) <i>Biochemical J.</i> 289(Pt2):313-330
Brittain, H.A. et al., "Sickle erythrocyte adherence to large vessel and microvascular endothelium under physiologic flow is qualitatively different," (1992) J. Lab. Clin. Med. 112:538-545
Broch, H. et al., "Quantum molecular modeling of the elastinic tetrapeptide Val- Pro-Gly-Gly," (1998) <i>J. Biomol. Struct. & Dyn.</i> 15: 1073-1091
Brown, D.F.M., "Treatment options for deep venous thrombosis," (Nov. 2001) Emergency Medicine Clinics of North America 19(4):913-923




Brummel, .E. et al., "An integrated study of fibrinogen during blood coagulation, (1999) <i>J. Biol. Chem.</i> 274(32):22862-22870
 Buller, C.E. et al., "Primary stenting versus balloon angioplasty in occluded coronary arteries," (1999) Circulation 100(3):236-242
Byun, Y. et al., "Binding of antithrombin III and thrombin to immobilized heparin under flow conditions," (1996) <i>Biotechnology Progress</i> 12(2):217-225
 Byun, Y. et al., "Mechanism of thrombin inactivation by immobilized heparin," (1996) J. Biomed. Mater. Res. 30:423-427
Cai, W.Z. et al., "A solid-state n.m.r. study of microphase structure and segmental dynamics of poly(styrene-b-methylphenylsiloxane) diblock copolymers," (1993) <i>Polymer</i> 34:267-276
Campbell, E.J. et al., "Biocompatible surfaces using methacryloylphosphorylcholine laurylmethacrylate copolymer," (1994) ASAIO J. 40(3):M853-M857
Calistri-Yeh, M. et al., "Thermal stability of self-assembled monolayers from alkylchlorosilanes," (1996) Langmuir 12:2747
Cao, Q. et al., "Sequence of abductin, the molluscan 'rubber' protein," (1997) Curr. Biol. 7:R677-678
Chaikof, E.L., "Biomaterials that imitate cell microenvironments," (1996) Chemtech. 26:17-24
Chaikof, E.L. et al., "PEO enhancement of platelet deposition, fibrinogen deposition, and complement C3 activation," (1992) <i>J. Biomed. Mater. Res.</i> 26:1163-1168
Chang, D.K. et al., "Nuclear overhauser effect and computational characterization of the β-spiral of the polypentapeptide of elastin," (1989) <i>J. Biomol. Struct. Dyn.</i> 6(5):851-858
Chang, D.K. and Urry, D.W., "Molecular dynamics calculations on relaxed and extended states of the polypentapeptide of elastin," (1988) <i>Chem. Phys. Lett.</i> 147:395-400
Chapman, D., "Biomembranes and new hemocompatible materials," (1993) Langmuir 9:39-45
Chen, C. et al., "Phosphorylcholine coating of ePTFE grafts reduces neointimal hyperplasia in canine model," (1997) <i>Ann. Vasc. Surg.</i> 11(1):74-79
Chen, T-M et al., "Studies on the synthesis and properties of novel phospholipid analogous polymers," (1996) J. Appl. Polym. Sci. 60:455-464




	Cheung, J. H. et al., "Molecular self-assembly of conducting polymers," (1994) <i>Thin Solid Films</i> 244:985-989
	Chon, J.H. et al., "Cytomimetic biomaterials. 3. Preparation and transport studies of an alginate/amphiphilic copolymer/polymerized phospholipid film," (1999) J. Biomater. Sci. Polymer. Ed. 10:95-107
	Chon, J.H. et al., "α4β1 and α5β1 control cell migration on fibronectin by differentially regulating cell speed and motile cell phenotype," (1998) <i>Ann. Biomed. Eng.</i> 26:1091-1101
	Chon, J.H. et al., "Role of fibronectin and sulfated proteoglycans in endothelial cell migration on a cultured smooth muscle layer," (1997) <i>J. Surg. Res.</i> 72:53-59.
	Christianson, S. et al., "Adoptive transfer of diabetes into immunodeficient NOD-scid/scid mice: relative contributions of CD4* and CD8* T-cells from diabetic versus prediabetic NOD.NON-Thy-1* donors," (1993) Diabetes 42:44-55
	Cima, L.G. and Lopina, S.T., "Network structures of radiation-cross-linked star polymer gels," (1995) <i>Macromolecules</i> 28:6787-6794
	Clowes, AW et al., "Mechanisms of arterial graft failure. II. Chronic endothelial and smooth muscle cell proliferation in healing polytetrafluoroethylene prostheses," (1986) J. Vasc. Surg. 3:877-884.
	Clowes, A.W. et al., "Mechanism of arterial graft failure. 1. Role of cellular proliferation in early healing of PTFE prostheses," (1985)Am. J. Pathol. 118(1]:43-54.
	Clowes, A.W. and Karnovsky, M.J., "Suppression by heparin of smooth muscle cell proliferation in injured arteries," (1977) <i>Nature</i> 625-626
	Colton, C.K., "The engineering of xenogeneic islet transplantation by immunoisolation," (1992) <i>Diab. Nutr. Metabol.</i> 5:145-149
	Colton, C. and Avgoustiniatos, E. "Bioengineering in the development of the hybrid artificial pancreas I" (1991) <i>Biochem. Eng.</i> 113:152-70
	Contino, P.B. et al., "Use of an oriented transmembrane protein to probe the assembly of a supported phospholipid bilayer," (1994) <i>Biophys. J.</i> 67:1113-1116
1 1 10	Crooks, C.A., et al., "Microencapsulation of mammalian cells in a HEMA-MMA copolymer: effects on capsule morphology and permeability,"(1990) <i>J. Biomed. Mater. Res.</i> 24: 1241-1262




Cruise, G.M. et al., "A sensitivity study of the key parameters in the interfacial photopolymerization of poly(ethylene glycol) diacrylate upon porcine islets," (1998) Biotechnol. Bioeng. 57: 655-65
Daugherty, D. L. and Gellman, S. H., "A fluorescence assay for leucine zipper dimerization: avoiding unintended consequences of fluorophore attachment," (1999) J. Am. Chem. Soc. 121:4325-4333
Dautzenberg, H. et al., Polyelectrolyte complex formation at the interface of solutions," (1996), <i>Polym. Sci.</i> 101:149-156
Debelle, L. and Tamburro, A.M., "Elastin: molecular description and function," (1999) Internat. J. Biochem. & Cell Biol. 31:261-272
Decher, G., "Fuzzy nanoassemblies: toward layered polymeric multicomposites," (1997) Science 277:1232-1237
Defrees, S.A. et al., "Sialyl lewis x liposomes as a multivalent ligand and inhibitor of E-selectin mediated cellular adhesion," (1996) <i>J. Am. Chem. Soc.</i> 118:6101-6104
Deming, T. J., "Mussel byssus and biomolecular materials," (1999) <i>Curr. Opin. Chem. Biol.</i> 3: 100-5
Dixon, W. T., "Spinning-sideband-free and spinning-sideband-only NMR spectra in spinning samples," (1982) <i>J. Chem. Phys.</i> 77:1800-1809
Dixon, W.T., "Total suppression of sidebands in CPMAS C-13 NMR," (1982) J. Magn. Reson. 49:341-345
Dluhy, R.A., "Quantitative external reflection infrared spectroscopic analysis of insoluble monolayers spread at the air-water interface," (1986) <i>J. Phys. Chem.</i> 90:1373-1379
Dodson, G.G. et al., "molecular recognition in insulin assembly," (1993) Biochem. Soc. Trans. 21:609-614
Doshi, J. and Reneker, D.H., "Electrospinning process and applications of electrospun fibers," (1995) J. Electrostatics 35: 151-160
Eaton, D. F., "Dye sensitized photo polymerization," (1986) Advances in Photochemistry 13:427-487
Egger, N. et al., "Solid state NM investigation of cationic polymerized epoxy resins," (1992) <i>J. Appl. Poly. Sci.</i> 44:289-295
Einaga, Y. et al., "Photofunctional vesicles containing Prussian blue and azobenzene," (1999) J. Am. Chem. Soc. 121:3745-3750




	Eitzman, D.T. et al., "Heparin neutralization by platelet-rich thrombi," (1994) Circulation 89(4):1523-1529
	Ejaz, M. et al. (2000) Macromolecules 33:2870
	Elbert, D. L. et al., "Thin polymer layers formed by polyelectrolyte multilayer techniques on biological surfaces," (1999) <i>Langmuir</i> 15:5355-5362
	Elender, G. et al., "Functionalisation of Si/SiO ₂ and glass surfaces with ultrathin dextran films and deposition of lipid bilayers," (1996) <i>E. Biosensors Bioelectronics</i> 11:565-577
1 1	Elliott, J. T. and Prestwich, G. D., "Maleimide-functionalized lipids that anchor polypeptides to lipid bilayers and membranes," (2000) <i>Bioconjugate Chem</i> . 11:832-841
	Esmon, C.T. et al., "Regulation and functions of the protein C anticoagulant pathway," (1999) Haematologica 84(4):363-368
	Esmon, C.T. et al., "The protein C pathway: new insights," (1997) <i>Thromb.</i> Haemostasis 78(1):70-74
 	Esmon, C.T., "Thrombomodulin as a model of molecular mechanisms that modulate protease specificity and function at the vessel surface," (1995) FASEB Journal 9(10):946-955
1 1 5	Esmon, C.T. and Owen, W.G., "Identification of an endothelial cell cofactor for hrombin-catalyzed activation of protein C," (1981) <i>Proc. Natl. Acad. Sci. USA</i> 78(4):2249-2252
E a	Esmon, N.L. et al., "Proteolytic formation and properties of γ-carboxyglutamic icid-domainless protein C," (1983) <i>J. Biol. Chem.</i> 258:(9):5548-5553
E	smon, N.L. et al., "Thrombomodulin blocks the ability of thrombin to activate latelets," (1983) <i>J. Biol. Chem.</i> 258(20):12238-12242
C C	smon, N.L. et al., "Isolation of a membrane-bound cofactor for thrombin- atalyzed activation of protein C," (1982) <i>J. Biol. Chem.</i> 257(2):859-864
 ΙE	spaña, F. et al., "In vivo and in vitro complexes of activated protein C with two hibitors in baboons," (1991) Blood 77(8):1754-1760
F	aham, S. et al. "Heparin structure and interactions with basic fibroblast growth octor," (1996) <i>Science</i> 271:1116-1120
Fe ht	eingold, H.M. et al., "Coagulation assays and platelet aggregation patterns in uman, baboon, and canine blood," (1986) Am. J. Vet. Res. 47:2197-2199




F 1 101 11 1 T
Feng, J. and Chaikof, E.L., "Reconstitution of thrombomodulin into polymerizable phospholipid vesicles," (2000) <i>Polymer Preprints</i> 41(2):1653-1654
Flitsch, S.L., "Chemical and enzymatic synthesis of glycopolymers," (Dec. 2000) Current Opinion in Chem. Biol. 4(6):619-625
Florin, E.L. and Gaub, H.E., "Painted supported lipid membranes," (1993) Biophys J. 64:375-383
Fong, H. et al., "Beaded nanofibers formed during electrospinning," (1999) Polymer 40: 4585-4592
Foster, J.A. et al., "Isolation and amino acid sequences of tropoelastin peptides," (1973) <i>J. Biol. Chem.</i> 24:2876-2879
Frank, M. and Ries, L.F., "The role of complement in inflammation and phagocytosis," (1991) <i>Immunol. Today</i> 12:322-326
Franzblau, C. et al., "Role of crosslinking in fiber formation," (1977) Adv. Exp. Med. Biol. 79:313-327
Galvin, J.B. et al., "Reconstitution of rabbit thrombomodulin into phospholipid vesicles," (1987) <i>J. Biol. Chem.</i> 262(5):2199-2205
Gemmell, C.H. et al., "The effects of shear rate on the enzymatic activity of the tissue factor-factor VIIa complex," (1990) Microvasc. Res. 40(30):327-340
Gemmell, C.H. et al., "Utilization of a continuous flow reactor to study the lipoprotein-associated coagulation inhibitor (LACI) that inhibits tissue factor," (1990) Blood 76(11):2266-2271
Gentry, R. et al., "Surface-mediated enzymatic reactions: simulations of tissue factor activation of factor X on a lipid surface," (1995) <i>Biophys. J.</i> 69(2):362-371
Gerling, I. et al., "Multiple low-dose streptozocin-induced diabetes in NOD- scid/scid mice in the absence of functional lymphocytes," (1994) Diabetes 43:433-440
 Gill, R.G. et al., "CD4* T cells are both necessary and sufficient for islet kenograft rejection," (1994)," <i>Transplantation Proceedings</i> 26:1203
Gir, S. et al., "A numerical analysis of factor X activation in the presence of issue factor-factor VIIa complex in a flow reactor," (1996) Ann. Biomed. Eng. 24(3):394-399
Gnanou, Y et al., "Synthesis of star-shaped poly(ethylene oxide)," (1998) Makromol. Chem. 189:2885-2892




	Goeden-Wood, N.L. et al., "Improved assembly of multimeric genes for the biosynthetic production of protein polymers," (Jul-Aug 2002) <i>Biomacromolecules</i> . 3(4):874-879
	Golden, M.A., "Healing of polytetrafluoroethylene arterial grafts is influenced by graft porosity," (1990) <i>J. Vascular Surgery</i> 11(6):838-844
	Goldsmith, H.L. and Turitto, V.T., "Rheological aspects of thrombosis and haemostasis: basic principles and applications," (1986) <i>Thromb. Haemostasis</i> 55(3):415-435
	Goosen, M.F.A. (1985), "Optimization of microencapsulation parameters: semipermeable microcapsules as a bioartificial pancreas, <i>Biotech. Bioeng.</i> 27:146-150
	Goosen, M.F.A. et al., "Inactivation of thrombin by antithrombin III on a heparinized biomaterial," (1980) <i>Thrombosis Research</i> 20(5/6):543-554
	Grande, D. et al., "Glycosaminoglycan mimetic biomaterials. 2. Alkene- and acrylate-derivatized glycopolymers via cyanoxyl-mediated free-radical polymerization," (2001) <i>Macromolecules</i> 34:1640-1646 (tentatively published on Web 02/13/01)
	Grande, D. et al., "Glycosaminoglycan mimetic biomaterials. 1. Nonsulfated and sulfated glycopolymers by cyanoxyl-mediated free-radical polymerization," (2000) <i>Macromolecules</i> 33:1123-1125
	Grande, D. et al., "Synthesis of non-sulfated and sulfated glycopolymers," (2000) Polymer Preprints 41(1):1000-1001
	Gray, W.R. et al., "Molecular model for elastin structure and function," (1973) Nature 246:461-466
	Gruber, A. et al., "Antithrombotic effects of combining activated protein C and urokinase in nonhuman primates," (1991) Circulation 84(6):2454-2462
	Gruber, A et al., "Inhibition of thrombus formation by activated recombinant protein C in a primate model of arterial thrombosis," (1990) Circulation 82(2):578-585
	Gruber, A. et al., "Inhibition of platelet-dependent thrombus formation by human activated protein C in a primate model," (1989) <i>Blood</i> 73(3):639-742
 1 1	Hall et al., "Factor Xa generation at the surface of cultured rat vascular smooth muscle cells in an <i>in vitro</i> flow system," (1998) <i>J. Biomech. Eng.</i> 120(4):484-490
1 11	Hall, B. et al., "Biomembranes as models for polymer surfaces," (1989) Biomaterials 10(4):219-224




Halle I., et al. (1993) "Protection of islets of Langerhans from antibodies by microencapsulation with alginate-poly-L-lysine membranes," <i>Transplantation</i> , 44:350-4
Hanson, S.R. et al., "Blood flow and antithrombotic drug effects," (1998) Am. Heart Journal 135(5 Pt 2 Su):S132-145
Hanson, S.R. et al., "Antithrombotic effects of thrombin-induced activation of endogenous protein C in primates," (1993) J. Clin. Invest. 92(4):2003-2012
Hanson, S.R. et al., "Effects of angiotensin converting enzyme inhibition with cilazapril on intimal hyperplasia in injured arteries and vascular grafts in the baboon," (1991) <i>Hypertension</i> 18(4Suppl):II-70-II-76
Hanson, S.R. et al., "Platelet interactions with Dacron vascular grafts; a model of acute thrombosis in baboons," (1985) Arteriosclerosis 5(6):595-603
Harker, L.A. et al., "Effects of megakaryocyte growth and development factor on platelet production, platelet life span, and platelet function in healthy human volunteers," (April 2000) <i>Blood</i> 95(8):2514-2522
Hasegawa, T. et al., "Quantitative analysis of uniaxial molecular orientation in Langmuir-Blodgett films by infrared relection spectroscopy," (1995) Langmuir 11:1236-1243
Haskins, K. and McDuffe, M. (1990), "Acceleration of diabetes in young NOD mice with CD4* islet-specific T cell clone," <i>Science</i> 249:1433-1436
Hayashi, C.Y. et al., "Hypotheses that correlate the sequence, structure, and mechanical properties of spider silk proteins," (1999) <i>Int. J. Biol. Macromol.</i> 24:271-275
Hayashi, C. Y. and Lewis, R. V., "Evidence from flagelliform silk cDNA for the structural basis of elasticity and modular nature of spider silks," (1998) <i>J. Mol. Biol.</i> 275: 773-84
Hayward, J.A. et al., "Biomembranes as models for polymer surfaces," (1986) Biomaterials 7:252-258
Hayward, J.A. and Chapman, D., "Biomembrane surfaces as models for polymer design: the potential for haemocompatibility," (1984) <i>Biomaterials</i> 5:135-142
Hayzer, D.J. et al., "cDNAs encoding the baboon thrombin receptor indicate a primate transcription start site upstream of putative sites reported for the human gene," (1999) <i>Throm. Res.</i> 98:195-201
Hayzer, D.J. et al., "Characterization of a cDNA encoding the β-chain of baboon receptor glycoprotein BPIb," (1993) Gene 127:271-272
······································




	Hébert, N. et al., "A new reagent for the removal of the 4-methozybenzyl ether: application to the synthesis of unusual macrocyclic and bolaform phosphatidylcholines," (1992) <i>J. Org. Chem.</i> 57:1777-1783.
	Helm, C.A. et al., "Measurement of ligand-receptor interactions," (1991) Proc. Natl. Acad. Sci. USA 88:8169-8173
	Hergenrother, P.J. et al., "Small-molecule microarrays: covalent attachment and screening of alcohol-containing small molecules on glass slides," (2000) <i>J. Am. Chem. Soc.</i> 122:7849-7850
	Heroguez, V. et al., "Novel amphiphilic architectures by ring-opening metathesis polymerization of macromonomers," (1997) <i>Macromolecules</i> 30:4791-4798
	Huang, L. et al., "Generation of synthetic elastin-mimetic small diameter fibers and fiber networks," (2000) <i>Macromolecules</i> 33: 2989-2997 (published on Web 03/24/00)
	Hubbell, J.A. et al., "Endothelial cell-selective materials for tissue engineering in the vascular graft via a new receptor," (1991) <i>Bio/Technology</i> 9:568-572.
	Hudson, S.M., "The spinning of silk-like proteins into fibers," <i>Protein-Based Materials</i> , McGrath, K. and Kaplan, D., Ed.: Birkhauser: Boston, 1997, pp. 313-337
	Ishihara, K., "Novel polymeric materials for obtaining blood-compatible surfaces," (1997) TRIP 5(12):401-407
	Ishihara, K. et al., "Synthesis of phospholipid polymers having a urethane bond in the side chain as coating material on segmented polyurethane and their platelet adhesion-resistant properties," (1995) <i>Biomaterials</i> 16:873-879
	Ishihara, K. et al., "Hemocompatibility on graft copolymers composed of poly(2-methacryloyloxyethyl phosphorylcholine) side chain and poly(<i>n</i> -butyl methacrylate) backbone," (1994) <i>J. Biomed. Mater. Res.</i> 28:225-232
	Ishihara, K. et al., "Hemocompatibility of human whole blood on polymers with a phospholipid polar group and its mechanism," (1992) <i>J. Biomed Mat. Res.</i> 26:1543-1552
_	Ishihara, K. et al., "Reduced thrombogenicity of polymers having phospholipid polar groups," (1990) <i>J. Biomed Mat. Res.</i> 24:1069-1077
	Ito Y., Section/Chapter 5.2, "Cell growth factor immobilized materials," p. 285-310; in Imanishi, Y. 1992. Synthesis of Biocomposite Materials: Chemical and Biological Modified Natural Polymers. Boca Raton, FL, CRC Press, 314 p. ISBN 0849367719.




Jackson, R.L. et al., "Glycosaminoglycans: molecular properties, protein interactions, and role in physiological processes," (1991) <i>Physiol. Rev.</i> 71(2):481-539
Janeway, C. and Bottomly, K., "Signals and signs for lymphocyte responses," (1994) Cell 76:275-285
Jarpe, A.J. et al., "Flow cytometric enumeration of mononuclear cell populations infiltrating the islets of Langerhans in prediabetic NOD mice: Development of model of autoimmune insulinitis for Type I diabetes," (1990) Regional Immunology 3:305-317
Kagan, H.M. et al., "Repeat polypeptide models of elastin as substrates for lysyl oxidase," (1980) <i>J. Biol. Chem.</i> 255:3656-3659
Kalafatis, M. et al., "Regulation and regulatory role of γ-carboxyglutamic acid containing clotting factors," (1996) <i>Critical Reviews in Eukaryotic Gene Expression</i> 6(1):87-101
Kalafatis, M. et al., "The regulation of clotting factors," (1997) Crit. Rev. Eukaryotic Gene Expression 7(3):241-280
Kawamoto et al., "Reconstituted collagen is not capable of activating factor XII but causes intrinsic coagulation by activating platelets," (1992) <i>Blood Coagulation & Fibrinolysis</i> 3(4):371-379
Ke, Y. et al., "Ovalbumin injected with complete Freund's adjuvant stimulates cytolytic responses," (1995) Eur. J. Immunol. 1995:549-553
Khaled, Md. A. et al., "Proton magnetic resonance and conformational energy calculations of repeat peptides of tropoelastin: the tetrapeptide," (1976) <i>J. Am. Chem. Soc.</i> 98: 7547-7553
Kim, D.H. et al., "The influence of tiered layers of surface-grafted poly(ethylene glycol) on receptor-ligand-mediated adhesion between phospholipid monolayer-stabilized microbubbles and coated glass beads," (2000) Langmuir 16:2808-
Kim, H.S. et al., "Characterizing structural changes in point-bonded nonwoven fabrics during load-deformation experiments," (Feb. 2001) <i>Textile Res. J.</i> 71(2):157-164
Kimura, T. et al., "High-resolution solid-state ¹³ C nuclear magnetic resonance study of the combined process of ¹ H spin diffusion and ¹ H spin-lattice relaxation in semicrystalline polymers," (1992) <i>Polymer</i> 33(3):493-497
King, G.A. et al (1987), "Alginate-polylysine microcapsules of controlled membrane molecular weight cutoff for mammalian cell culture engineering," Biotech Progress 3:23I-240




Kishida, A. et al., "In vivo and ex vivo evaluation of the antithrombogenecity of human thrombomodulin immobilized biomaterials," (1995) ASAIO Journal 41:M369-374
Kishida, A. et al., "Immobilization of human thrombomodulin onto biomaterials," (1994) ASAIO Journal 40(3):M840-845
Kishida, A. et al., "Immobilization of human thrombomodulin on biomaterials: evaluation of the activity of immobilized human thrombomodulin," (1994) <i>Biomaterials</i> 15(14):1170-1174
Kishida, A. et al., "Immobilization of human thrombomodulin onto poly(ether urethane urea) for developing antithrombogenic blood-contacting materials," (1994) <i>Biomaterials</i> 15(10):848-852
Kobayashi, T. et al., "Theory of the kinetics of reactions catalyzed by enzymes attached to membranes," (1974) <i>Biotech. Bioeng.</i> 16(1):77-97
Kobayashi, T. et al., "Theory of the kinetics of reactions catalyzed by enzymes attached to the interior surfaces of tubes," (1974) Biotech. Bioeng. 16(1):99-118
Köhler, A.S. et al., "Platelet adhesion to novel phospholipid materials: modified phosphatidylcholine covalently immobilized to silica, polypropylene, and PTFE materials," (1996) <i>J. Biomed. Mat. Res.</i> 32:237-242
Kojima, M. et al., "Interaction between phospholipids and biocompatible polymers containing a phosphorylcholine moiety," (1991) <i>Biomaterials</i> 12:121-124
Korbutt, G.S. et al., "Large scale isolation, growth, and function of porcine neonatal islet cells," (1996) <i>J. Clin. Invest.</i> 97(9):2119-2129
Korbutt, G.S. et al., "Porcine islet cell antigens are recognized by xenoreactive natural human antibodies of both IgG and IgM subtypes," (1995) Transplantation Proceedings 28:821-823
Korbutt, G.S. et al., "Successful reversal of diabetes in nude mice by transplantation of microencapsulated porcine neonatal islet cell aggregates," (1995) Transplantation Proceedings 27:3212
Krejchi, M.T. et al., "Chemical sequence control of β-sheet assembly in macromolecular crystals of periodic polypeptides," (1994) Science 265:1427-1432
 Krych, M. et al., "Complement receptors," (1992) Curr. Opin. Immunol. 4:8-13
Kuhlenschmidt, T.B. and Lee, Y.C., "Specificity of chicken liver carbohydrate binding protein," (1983) <i>Biochem.</i> 23(16):3569-3575




Kühner, M. et al., "Lipid mono- and bilayer supported on polymer films: composite polymer-lipid films on solid substrates," (1994) <i>E. Biophys. J.</i> 67:217-226
Lamparski et al. (1993) J. Am. Chem. Soc. 11:8096-8102
Lamparski, H. et al., "Photoinduced destabilization of liposomes," (1992) Biochemistry 31:685-694
Laster, J. and Silver, D., "Heparin-coated catheters and heparin-induced thrombocytopenia," (1988) <i>J. Vasc. Surg.</i> 7(5):667-672
Lee, T.A.T. et al., "Thermo-reversible self-assembly of nanoparticles derived from elastin-mimetic polypeptides," (Aug. 2000) Advanced Materials 12(15):1105-1110
Lenschow, D. et al. (1992), "Long-term survival of xenogeneic pancreatic islet grafts induced by CTLA4lg," Science 257:789-795
Lim, F. and Sun, A.M. (1980), "Microencapsulated islets as a bioartificial endocrine pancreas, <i>Science</i> 20:908-910
Lindhout, T. et al., "Antithrombin activity of surface-bound heparin studied under flow conditions," (1995) <i>J. Biomed. Mater. Res.</i> 29(10):1255-1266
Lindner, V. et al., "Basic fibroblast growth factor stimulates endothelial regrowth and proliferation in denuded arteries," (1990) J. Clin. Invest. 85:2004-2008
Loudovaris, T. et al. (1992), "The role of T cells in the destruction of xenografts within cell impermeable membranes," <i>Transplantation Proceedings</i> 24:2938
Loykulnant, S. and Hirao, A., "Protection and polymerization of functional monomers. 30. Anionic living polymerization of 4-alkylstyrenes containing acetal-protected monosaccharide residues," (2000), Macromolecules 33:4757-4764
Loykulnant, S. et al., "Protection and polymerization of functional monomers. 28. Anionic living polymerization of styrene derivatives containing acetal-protected monosaccharide residues," (1998) Macromolecules 31:9121-9126
 Lu, D. et al., "Comparison of activated protein C/protein S-mediated inactivation of human facor VIII and factor V," (1996) <i>Blood</i> 87(11):4708-4717
Lvov, Y. et al., "Assembly, structural characterization, and thermal behavior of layer-by-layer deposited ultrathin films of poly(vinyl sulfate) and poly(allylamine)," (1993) Langmuir 9:481-486
MacDonald, R.C. et al., "Small-volume extrusion apparatus for preparation of large, unilamellar vesicles," (1991) <i>Biochim. Biophys. Acta</i> 1061:297-303




	Mann, K.G. et al., "Cofactor proteins in the assembly and expression of blood clotting enzyme complexes," (1988) <i>Ann. Rev. Biochemistry</i> 57:915-956
-	Mao, G., et al., "Interactions, structure, and stability of photoreactive bolaform amphiphile multilayers," (1995) <i>Langmuir</i> 11:942-952
	Maoz et al. (1984) "On the formation and structure of self-assembling monolayers," J. Colloid Interface Sci. 100(2):456
	Markovich, R.J. et al., "Silica subsurface amine effect on the chemical stability and chromatographic properties of end-capped immobilized artificial membrane surfaces," (1991) <i>Anal. Chem.</i> 63:1851-1860
	Marra, K.G. et al., "Cytomimetic biomaterials. 1. In-Situ polymerization of phospholipids on an alkylated surface," (1997) Macromolecules 30:6483-6488
	Marra, K.G. et al., "Cytomimetic biomaterials. 2. In-Situ polymerization of phospholipids on a polymer surface," (1997) Langmuir 13:5697-5701
	Marra, K.G. et al., "Stabilized phosphatidylcholine surfaces via in-situ polymerization at a solid-liquid interface," (1997) Polymer Preprints 38(2):682-683
	Marsh, A. et al., "Atom transfer polymerization: use of uridine and adenosine derivatized monomers and initiators," (1999) <i>J. Macromolecules</i> 32:8725-8731
	Martin, D.C. et al., "Processing and Characterization of Protein Polymers," Protein-Based Materials, McGrath, K. and Kaplan, D., Eds.; Birkhauser: Boston, 1997, pp.339-370
	Martin, S.F. et al., "General method for the synthesis of phospholipid derivatives of 1,2-O-diacyl-sn-glycerols," (1994) J. Org. Chem. 59:4805-4820
	Massia, S.P. and Hubbell, J.A., "Vascular endothelial cell adhesion and spreading promoted by the peptide REDV of the IIICS region of plasma fibronectin is mediated by integrin $\alpha_2\beta_1$," (1992) <i>J. Biol. Chem.</i> 267:14019-14026
	Matthew, H.W. et al (1993) "Complex coacervate microcapsules for mammalian cell culture and artificial organ development," <i>Biotechnol. Prog.</i> 9:510-519
 ۸ ا	Mauk, A.W. et al., "Structural characterization of self-assembled lipid monolayers by NπT simulation," (1998) Langmuir 14:5255-5266
] [Mauk, M.R. et al., "Vesicle targeting: timed release and specificity for eukocytes in mice by subcutaneous injection," (1980) Science 207:309-311
١	McLean, L.R. et al., "Preparation of stable polar surfaces using polymerizable ong-chain diacetylene molecules," (1983) <i>Thin Solid Films</i> 99:127-131




	McMillan R.A. and Conticello, R. P., "Synthesis and characterization of elastin-mimetic protein gels derived from a well-defined polypeptide precursor," (2000) Macromolecules 33:4809-4821
	McMillan, R.A. et al., "High-resolution topographic imaging of environmentally responsive, elastin-mimetic hydrogels," (1999) Macromolecules 32:9067-9070
	McMillan, R.A. et al., "Rapid assembly of synthetic genes encoding protein polymers," (1999) <i>Macromolecules</i> 32: 3643-3648
	McPherson, D.T. et al., "Product purification by reversible phase transition following <i>Eschericia coli</i> expression of genes encoding up to 251 repeats of the elastomeric pentapeptide GVGVP," (1996) <i>Protein Expression Purification</i> 7: 51-57
	McPherson, D.T. et al., "Production and purification of a recombinant elastomeric polypeptide, G-(VPGVG) ₁₉ -VPGV, from <i>Escherichia coli</i> ," (1992) <i>Biotechnology Progress</i> 8:347-352
-	Merrill, E.W. et al., "Polyvinyl alcohol-heparin hydrogel 'G'," (1970) J. Applied Physiology 29(5):723-730
	Meuse, C. W. et al., "Hybrid bilayer membranes in air and water: infrared spectroscopy and neutron reflectivity studies," (1998) <i>Biophys J.</i> 74:1388-1398
	Mielczarski, J.A. and Yoon, R.H., "Fourier transform infrared external reflection study of molecular orientation in spontaneously adsorbed layers on low-absorption substrates," (1989) <i>J. Phys. Chem.</i> 93:2034-2038
	Miller, B. et al., "Both the Lyt-2* and L3T4* T cell subsets are required for the transfer of diabetes in nonobese diabetic mice" (1988) J. Immunol. 140:52-8
	Minoda, M. et al. "Synthesis of functional polymers bearing pendant mono- and oligo- saccharide residues," <i>Macromol. Symp.</i> 99:169-177 (1995)
	Miyata, T. and Nakamae, K., "Polymers with pendent saccharides - 'glycopolymers'," (1997) <i>Trends Polym. Sci.</i> 5:198-206
	Miyoshi, M. et al., "A rapid formation of lysine-derived crosslinks by chick embryo aorta," (1976) J. Biochem. (Tokyo) 79: 235-1243
	Monshipouri, M. and Rudolph, A.S., "Liposome-encapsulated alginate: controlled hydrogel particle formation and release," (1995) <i>J. Microencapsulation</i> 12(2):117-127
	Moore et al., (1983) Macromolecules 16:335-338
4 1	Moses, R. et al. (1990), "Xenogeneic proliferation and lymphokine production are dependent upon CD4+ helper T cells and self antigen-presenting cells in the mouse. I," <i>Exp. Med.</i> 172:567-75




Moya, S. et al., "Lipid coating on polyelectrolyte surface modified colloidal particles and polyelectrolyte capsules," (2000) Macromolecules 33:4538-4544
Müller-Eberhard, H.I., "Molecular organization and function of the complement system," (1988) <i>Ann. Rev. Biochem.</i> 57:321-347
Nagahori, N. and Nishimura, S-I., "Tailored glycopolymers: controlling the carbohydrate-protein interaction based on template effect," (2001) Biomacromolecules 2:22-24 (published on Web 12/28/2000)
Nagle, J.F. et al., "X-ray structure determination of fully hydrated L _σ phase dipalmitoylphosphatidylcholine bilayers," (1996) <i>Biophys. J.</i> 70:1419-1431
 Nah, J-W et al., "Polymeric micelle formation of multiblock copolymer composed of poly(y-benzyl <i>L</i> -glutamate) and poly(ethylene oxide)," (2000) <i>Bull. Korean Chem. Soc.</i> 21(4):383-388
Nah, J-W et al., "Drug-delivery system based on core-shell-type nanoparticles composed of poly(γ-benzyl <i>L</i> -glutamate) and poly(ethylene oxide), (2000) <i>J. App. Polymer Sci.</i> 75:115-1126
Nemerson, Y. and Turitto, V.T., "The effect of flow on hemostasis and thrombosis," (1991) <i>Thromb. Haemostasis</i> 66(3):272-276
Nickerson, P. et al., "Analysis of cytokine transcripts in pancreatic islet cell allografts during rejection and tolerance induction," (1993) <i>Transplantation Proceedings</i> 25:984-985
Nojiri, C. et al., "Can heparin immobilized surfaces maintain nonthrombogenic activity during <i>In Vivo</i> long-term implantation?" (1996) <i>ASAIO Journal</i> 42(5):M468-475
Nojiri, C. et al., "In vivo nonthrombogenicity of heparin immobilized polymer surfaces," (1990) ASAIO Transactions 36(3):M168-172
 Nomura, K. and Schrock, R.R., "Preparation of 'sugar-coated' homopolymers and multiblock ROMP copolymers," (1996) <i>Macromolecules</i> 29:540
O'Brien, D.F. et al., "Polymerization of preformed self-organized assemblies," (1998) Acc. Chem. Res. 31:861-868
O'Connell, P.J. et al., "Unmodified pancreatic islet allograft rejection results in the preferential expression of certain T cell activation transcripts," (1993) <i>J. Immunol.</i> 150:1093-1104
O'Donnell, J. H. and Whittaker, A. K., "Radiation degradation of linear low density polyethylene: determination of lamellae thickness, crystallinity and crosslinking by solid-state ¹³ C NMR and DSC," (1992) <i>Radiat. Phys. Chem.</i> 36(20:209-214




ll .		
		O'Donnell, J. H. and Whittaker, A. K., "A solid-state ¹³ C-NMR study of crosslinking in polybutadiene by γ radiation: effect of microstructure and dose," (1992) <i>J. Polym. Chem. Ed.</i> 30:185-195
		Ohno, K. et al., "Nitroxide-controlled free radical polymerization of a sugar-carrying acryloyl monomer," (1999) <i>Macromol. Chem. Phys.</i> 200:1619-1625
		Ohno, K. et al., "Synthesis of a well-defined glycopolymer by nitroxide-controlled free radical polymerization," (1998) <i>Macromolecules</i> 31:1064
		Ohno, K. et al., "Synthesis of a well-defined glycopolymer by atom transfer radical polymerization," (1998) <i>J. Polym. Sci., Part A: Polym. Chem.</i> 36:2473-2481
		Ohno, K. et al., "Free radical polymerization of a sugar residue-carrying styryl monomer with a lipophilic alkoxyamine initiator: synthesis of a well-defined novel glycolipid," (1998) <i>Macromol. Chem. Phys.</i> 199:2193-2197
		Ohno, H. et al., "Polymerization of liposomes composed of diene-containing lipids by UV and radical initiators: evidence for the different chemical environment of diene groups on 1- and 2-acyl chains," (1987) <i>Macromol.</i> 20:929-933
		Ohno et al., "Polymerization of liposomes composed of diene-containing lipids by radical initiators. II. Polymerization of monodiene-type lipids as liposomes," (1987) J. Polym. Sci.: Part A: Polym. Chem. 25:2737-2746
		Orban, J.M. et al., "Cytomimetic biomaterials. 4. In-situ photo polymerization of phospholipids on an alkylated surface," (2000) <i>Macromolecules</i> 33:4205-4212 (published on Web 05/06/00)
	_	Ornitz, D.M. et al., "FGF binding and FGF receptor activation by synthetic heparan-derived di- and trisaccharides," (1995) Science 268:432-434
		Otani et al., "Rapidly curable biological glue composed of gelatin and poly(L-glutamic acid)," (1996) <i>Biomaterials</i> 17(14):1387-1391
		Owen, W.G. and Esmon, C.T., "Functional properties of an endothelial cell cofactor for thrombin-catalyzed activation of protein C," (1981) <i>J. Biol. Chem.</i> 256(11):5532-5535
		Packer, K. J. et al., "The effects of morphology on ¹ H NMR spectra and relaxation in semicrystalline polyolefins," (1984) <i>J. Polym. Sci.: Polym. Phys.</i> 22:589-616
		Panitch, A. et al., "Design and biosynthesis of elastin-like artificial extracellular matrix proteins containing periodically spaced fibronectin CS5 domains," (1999) Macromolecules 32:1701-1703




	Parikh, A.N. et al., "An intrinsic relationship between molecular structure in self-assembled <i>n</i> -alkysiloxane monolayers and deposition temperature," (1994) <i>J. Phys. Chem.</i> 98:7577
	Parker, W. et al., "Transplantation of discordant xenografts: a challenge revisited," (1996) <i>Immunology Today</i> 17:373-378
	Pasquali-Ronchetti et al., "Study of elastic fiber organization by scanning force microscopy," (1998) Matrix Biology 17:75-83
	Pasquali-Ronchetti et al., "Ultrastructure of elastin," (1995) Ciba Foundation Symposium 192:31-50
	Pearce, K.H. et al., "Comparison of the membrane binding kinetics of bovine prothrombin and its fragment 1," (1993) <i>J. Biol. Chem.</i> 268:22984-22991
	Peterson, I.D., and Haskins, K. (1996), "Transfer of diabetes in the NOD-scid mouse by CD4 T-cell clones: differential requirement for CD8 T-cells," <i>Diabetes</i> 45:328-36
	Petka, W.A. et al., "Reversible hydrogels from self-assembling artificial proteins," (1998) Science 281:389-392
	Petitou, M. et al., "Synthesis of thrombin-inhibiting heparin mimetics without side effects," (1999) <i>Nature</i> 398:417-422
	Petitou, M. et al., "First synthetic carbohydrates with the full anticoagulant properties of heparin," (1998), Chem. Int. Ed. 37:3009-3014
	Pierson, R. et al. (1989), "CD4 ⁺ lymphocytes play a dominant role in murine xenogeneic responses," <i>Transplantation Proceedings</i> 21:519
	Plant, A.L. et al., "Phospholipid/alkanethiol bilayers for cell-surface receptor studies by surface plasmon resonance," (1995) <i>Anal. Biochem.</i> 226:342-348
- 1 - 1 :	Plant, A. L., "Self-assembled phospholipid/alkanethiol biomimetic bilayers on gold," (1993) <i>Langmuir</i> 9: 2764-2767
	Plant, A.L. et al., "Generic liposome reagent for immunoassays," (1989) <i>Anal.</i> Biochem. 176:420-426
 1 1 +	Ponpipom, M.M. and Bugianesi, R.L., "Isolation of 1,3-distearoyl-glycero-2- phosphocholine (β-lecithin) from commercial 1,2-distearoyl-sn-glycero-3- phosphocholine," (1980) <i>Lipid Res.</i> 21:136-139
F	Pourdeyhimi, B. et al., "Measuring fiber diameter distribution in nonwovens," 1999) Textile Res. J. 69:233-236



Qiu, Z-H. and Leslie, C.C., "Protein kinase C-dependent and -independent pathways of mitogen-activated protein kinase activation in macrophages by stimuli that activate phospholipase A ₂ ," (1994) <i>J. Biol. Chem.</i> 269:19480-19487
Rand, M.D. et al., "Blood clotting in minimally altered whole blood," (1996) Blood 88(9):3432-3445
Rapaka, R.S. et al., "Non-elastomeric polypeptide models of elastin," (1978) Int. J. Pept. Protein Res. 11:109-127
Regen, S.L. et al., "Polymer-supported membranes. A new approach for modifying polymer surfaces," (1983) <i>Macromolecules</i> 16:335-338
Reneker, D.H. and Chun, I., "Nanometre diameter fibres of polymer, produced by electrospinning," (1996) <i>Nanotechnology</i> 7: 216-223
Reneker, D.H. and Srinivasan, G., "Electrospun polyaramid fibers: structure and morphology," (1995) <i>Bull Am. Phys. Soc.</i> 40:351
Rifkin, D.B. and Moscatelli, D., "Recent developments in the cell biology of basic fibroblast growth factor," (1989) <i>J. Cell. Biol.</i> 109:1-6
Ringsdorf et al., "Molecular architecture and function of polymeric oriented systems: models for the study of organization, surface recognition, and dynamics of biomembranes," (1988) Angew. Chem. Int. Ed. Engl. 27:113-158
Roach, M.R. and Burton A.C., "The reason for the shape of the distensibility curves of arteries," (1957) Can. J. Biochem. Physiol. 35:681-690
Roberts, I. et al. (1996), "Dopamine secretion by PC12 cells microencapsulated in a hydroxymethyl methacrylate-methyl methacrylate copolymer," <i>Biomaterials</i> 17:267-275
Robins, S. P., "Analysis of the crosslinking components in collagen and elastin," (1982) Methods Biochem. Anal. 28:329-379
Rosen, E.M. et al., "Regulation of motility in bovine brain endothelial cells," (1991) <i>J. Cell Physiol.</i> 146:325-35
Roy, B.C. et al., "Synthesis and fluorescence properties of new fluorescent, polymerizable, metal-chelating lipids," (2000) <i>J. Org. Chem.</i> 65:3644-3651
Roy, R., "Recent developments in the rational design of multivalent glycoconjugates," (1997) <i>Topics in Current Chem.</i> 187:241-274
Roy, R., "Syntheses and some applications of chemically defined multivalent glycoconjugates," (1996) Current Opinion in Structural Biology 6:692-702




Sabatani, E. and Rubinstein, I., "Organized self-assembling monolayers on electrodes. 2. Monolayer-based ultramicroelectrodes for the study of very rapid electrode kinetics," (1987) <i>J. Phys. Chem.</i> 91:6663-6669
Sackmann, E. and Tanaka, M., Supported membranes on soft polymer cushions: fabrication, characterization and applications," (2000) <i>Trans Biotechnol.</i> 18:58-64
Sadler, J.E., "Thrombomodulin structure and function," (1997) Thromb. Haemostasis 78(1):392-395
Sakai, H. and Umemura, J., "Molecular orientation in Langmuir films of 12-hydroxystearic acid studied by infrared external-reflection spectroscopy," (1998) Langmuir 14:6249-6255
Sakata, Y., et al., "Activated protein C stimulates the fibrinolytic activity of cultured endothelial cells and decreases antiactivator activity," (1985) <i>Proc. Natl. Acad. Sci. USA</i> 82(4):1121-1125
Sandberg, L.B. et al., "Elastin covalent structure as determined by solid phase amino acid sequencing," (1985) <i>Pathol. Biol.</i> 33:266-274
Sandberg, L.B. et al., "Elastin structure, biosynthesis, and relation to disease states," (1981) N. Engl. J. Med. 304:566-579
Sandberg, L.B. et al., "Primary structure of porcine tropoelastin," (1977) J. Adv. Exp. Med. Biol. 79:277-284
Santin, M. et al., "Synthesis and characterization of a new interpenetrated poly(2-hydroxyethylmethacrylate)-gelatin composite polymer," (1996) Biomaterials 17(15):1459-1467
Sato, Y. and Rifkin, D.B., "Autocrine activities of basic fibroblast growth factor: regulation of endothelial cell movement, plasminogen activator synthesis, and DNA synthesis," (1988) <i>J. Cell. Biol.</i> 107:1199-1205
Schmidt, R.R., "Recent developments in the synthesis of glycoconjugates," (1989) Pure Appl. Chem. 61(7):1257-70
Sefton, M.V., (1989), Can. J. Chem. Eng. 67:705-712
Seifert, K. et al., "Charge transport by ion translocating membrane proteins on solid supported membranes," (1993) <i>Biophys. J.</i> 64:384-391
Seitz, M. et al., "Formation of tethered supported bilayers via membrane-inserting reactive lipids," (1998) <i>Thin Solid Films</i> 329:767-771
Sells, T.D. & O'Brien, D.F., "Two-dimensional polymerization of lipid bilayers: degree of polymerization of acryloyl lipids," (1994) Macromolecules 27:226-233




Serruys, P.W. et al., "Randomised comparison of implantation of heparin- coated stents with balloon angioplasty in selected patients with coronary artery disease (Benestent II)," (1998) Lancet 352:673-681
Shen, W. W. et al., "Polymer-supported lipid bilayers on benzophenone-modified substrates," (2001) <i>Biomacromolecules</i> 2:70-79
Shi, X. and Caruso, F., "Release behavior of thin-walled microcapsules composed of polyelectrolyte multilayers," (2001) <i>Langmuir</i> 17:2036-2042
Shoji, M. et al., "Human and baboon integrin β₅ subunit-encoding mRNAs have alternative polyadenylation sites," (1993) <i>Gene</i> 133:307-308
Shultz, L. et al., "Multiple defects in innate and adaptive immunologic function in NOD/LtSz-scid mice," (1995) J. Immunology 154:180-191
Siedlecki, C.A. et al., "Interactions of human von Willebrand factor with a hydrophobic self-assembled monolayer studied by atomic force microscopy," (1994) Biomed. Mater. Res. 28:971
Slack, S.M. et al., "The effects of flow on blood coagulation and thrombosis," (1993) <i>Thromb. Haemostasis</i> 70(1):129-134
Slack, S.M. and Turitto, V.T., "Flow chambers and their standardization for use in studies of thrombosis," (1994) <i>Thromb. Haemostasis</i> 72(5):777-781
Smirnov, M.D. et al., "The effect of membrane composition on the hemostatic balance," (1999) <i>Biochemistry</i> 38(12):3591-3598
Smirnov, M.D. and Esmon, C.T., "Phosphatidylethanolamine incorporation into vesicles selectively enhances factor Va inactivation by activated protein C," (1994) J. Biol. Chem. 269(2):816-819
Snyder, R.G. et al., "Vibrational spectra in the C—H stretching region and the structure of the polymethylene chain," (1978) Spectrochim. Acta, Part A 34A:395-406
Solletti, J.M. et al., "Elaboration and characterization of phospholipid Langmuir- Blodgett films," (1996) <i>Langmuir</i> 1:5379-5386
Spinke, J. et al., "Polymer-supported bilayer on a solid substrate," (1992) Biophys. J. 63:1667-1671
Stoll, M.S. et al., "Improved procedure for the construction of neoglycolipids having antigenic and lectin-binding activities, from reducing oligosaccharides," (1988) Biochemical J. 256:661-664.
Sun, F. et al., "Ultrathin self-assembled polymeric films on solid surfaces. 2. Formation of 11-(n-pentyldithio)undecanoate-bearing polyacrylate monolayers on gold," (1993) Langmuir 9:3200-3207

Form PTO 1449		Greenlee, Winner and Sullivan, P.C., 01/21/04
ATTY DOCKET NO. 133-02	SERIAL NO. 10/720,025	FILING DATE 21 November 2003
APPLICANT Chaikof		GROUP


-	
	Sun, F. et al., "Spontaneous polymer thin film assembly and organization using mutually immiscible side chains," (1996) J. Am. Chem. Soc. 118:1856-1866
	Sun, F. et al., "Ultrathin self-assembled polymeric films on solid surfaces. III. Influence of acrylate dithioalkyl side chain length on polymeric monolayer formation on gold," (1994) <i>J. Vac. Sci. Technol.</i> 12:2499
	Sun, L. and Chaikof, E.L., "The synthesis of neoglycophospholipid conjugates via reductive amination of ω -oxoalkylglycosides and phosphatidylethanolamines," (1998) Carbohydrate Res. 370:77-81
	Sun, L. and Chaikof, E.L., "Neoglycophospholipids with alkyl spacers: synthesis via an improved reductive amination and monolayer properties," (1997) Bioconjugate Chem. 8:567-571
	Sun, Y. et al. (1996), "Normalization of diabetes in spontaneously diabetic cynomologus monkeys by xenografts of microencapsulated porcine islets without immunosuppression," <i>J. Clin. Invest.</i> 98:1417-1422
	Takeuchi, T. et al. (1992), "Heart allografts in murine systems: The differential activation of Th2-like effector cells in peripheral tolerance," <i>Transplantation</i> 53:1281-1294
·	Tasumi, M.S. and Miyaza, T.J., "Normal vibrations and force constants of polymethylene chain," (1962) <i>J. Mol. Spectrosc.</i> 9:261-287
	Tendian, S.W. et al., "Evidence from total internal reflection fluorescence microscopy for calcium-independent binding of prothrombin to negatively charged planar phospholipid membranes," (1991) <i>Biochemistry</i> 30:10991-10999
	Terranova, V.P. et al., "Human endothelial cells are chemotactic to endothelial cell growth factor and heparin," (1985) Cell Biol. 101:2330-2334
	Thomas, G.J. and Prescott, B., "Raman amide bands of type-II β-turns in cyclo-(VPGVG) ₃ and poly-(VPGVG), and implications for protein secondary-structure analysis," (1987) <i>Biopolymers</i> 26:921-934
	Toshima, K. and Tatsuta, K., "Recent progress on O-glycosylation methods and its application to natural products synthesis," (1993) Chem. Rev. 93:1503-1531
	Turitto, V.T. and Hall, C.L., "Mechanical factors affecting hemostasis and thrombosis," (1998) <i>Thromb. Res.</i> 92(6 Suppl.2):S25-310.
	Ueda, T. et al., "Preparation of 2-methacryloyloxyethyl phosphorylcholine copolymers with alkyl methacrylates and their blood compatibility," (1992) Polym. J. 24(11):1259-1269



Uludag, H. and Sefton, M.V., "Metabolic activity and proliferation of CHO cells in hydroxyethyl methacrylate-methyl methacrylate (HEMA-MMA) microcapsules," (1993) Cell Transplantation 2:175-182
Urry, D.W. et al., "Protein-based materials with a profound range of properties and applications: the elastin ΔT, hydrophobic paradigm," K. McGrath and D. Kaplan, Ed., Birkhauser: Boston, (1997), pp 133-177
Urry, D.W. et al., "Molecular biophysics of elastin structure, function and pathology," (1995) Ciba Foundation Symposium 192:4-30
Urry, D.W., "Molecular machines: how motion and other functions of living organisms can result from reversible chemical changes," (1993) <i>Angew. Chem. Int. Ed. Engl.</i> 32:819-841
Urry, D.W. et al., "Two-dimensional proton NMR studies on poly(VPGVG) and its cyclic conformational correlate, cyclo(VPGVG) ₃ ," (1989) <i>Biopolymers</i> 28:819-833
Urry, D.W., "Entropic elastic processes in protein mechanisms. I. Elastic structure due to an inverse temperature transition and elasticity due to internal chain dynamics," (1988) J. Prot. Chem. 7(1):1-34
Urry, D.W. et al., "Polytetrapeptide of elastin," (1986) Int. J. Pept. Protein Res. 28:649-660
Urry, D.W. et al., "Polypentapeptide of elastin: temperature dependence of ellipticity and correlation with elastomeric force," (1985) <i>Biochem. Biophys. Res. Commun.</i> 130:50-57
Urry, D.W. et al., "Phase-structure transitions of the elastin polypentapeptidewater system within the framework of composition-temperature studies," (1985) Biopolymers 24:2345-2356
Urry, D.W. et al., "Studies on the conformation and interactions of elastin secondary structure of synthetic repeat hexapeptides," (1975) <i>Biochim. Biophys. Acta</i> 393:296-306
Urry, D.W. et al., "Studies on the conformation and interactions of elastin. Proton magnetic resonance of the repeating pentapeptide," (1974) <i>Biochemistry</i> 13:609-616;
van Ackern, F. et al., Ultrathin membranes for gas separation and pervaporation prepared upon electrostatic self-assembly of polyelectrolytes," (998) Thin Solid Films 329:762-766
Van Boeckel, C.A.A. et al., "the unique antithrombin III binding domain of heparin: a lead to new synthetic antithrombotics," (1993) Chem. Int. Ed. Engl. 32(12):1671-1690



Van Den Bulcke, A.I. et al., "Structural and rheological properties of methacrylamide modified gelatin hydrogels," (2000) <i>Biomacromolecules</i> 1:31-38
Vanderhart, D. L., "Proton spin diffusion as a tool for characterizing polymer blends," (1990) Makromol. Chem., Macromol. Symp. 34:125-159
van't Veer, C. et al., "Inhibitory mechanism of the protein C pathway on tissue factor-induced thrombin generation," (1997) J. Biol. Chem. 272(12):7983-7984
Vasilets, V.N. et al., "Microwave CO ₂ plasma-initiated vapour phase graft polymerization of acrylic acid onto polytetrafluoroethylene for immobilization of human thrombomodulin," (1997) <i>Biomaterials</i> 18(17):1139-1145
Viitala, T. et al., "Protein immobilization to a partially cross-linked organic monolayer," (2000) <i>Langmuir</i> 16:4953-4961
Wall, R.T. et al., "Human endothelial cell migration: stimulation by a released platelet factor," (1978) <i>Lab Invest</i> . 39(5):523-529
Wang, P. et al., "Synthesis of phospholipid-inhibitor conjugates by enzymatic transphosphatidylation with phospholipase D," (1993) <i>J. Am. Chem. Soc.</i> 115:10487-10491
Wasserman, Z.R. and Salemme, F.R., "A molecular dynamics investigation of the elastomeric restoring force in elastin," (1990) <i>Biopolymers</i> 29:1613-1631
Wasserman, S.R. et al., "The structure of self-assembled monolayers of alkylsiloxanes on silicon: a comparison of results from ellipsometry and lowangle X-ray reflectivity," (1989) <i>J. Am. Chem. Soc.</i> 111:5852-5861
Weber, C.J. et al., "CTLA4-Ig prolongs survival of microencapsulated neonatal porcine islet xenografts in diabetic NOD mice," (1997) Cell Transplantation 6(5):505-508
Weber, C.J. et al.,"Encapsulated islet iso-, allo-, and xenografts in diabetic NOD mice," (1995) <i>Transplantation Proceedings</i> 27:3308-3311
Weber, C. et al. (1994), "NOD mouse peritoneal cellular response to poly-L-lysine-alginate microencapsulated rat islets," <i>Transplantation Proceedings</i> 26: 1116-1119
Weber, C. et al. (1990), "Microencapsulated dog and rat islet xenografts into streptozotocin-diabetic and NOD mice," <i>Horm. Metab. Res.</i> 35:219-226
Weber, C.I. et al. (1990), "The role of CD4* helper T cells in destruction of microencapsulated islet xenografts in NOD mice," <i>Transplantation</i> 49(2):396-404



	Weiner, A.L. et al., (1985), "Liposome-collagen gel matrix: A novel sustained drug delivery system," <i>J. Pharm. Sci.</i> 74(9):922-925
	Welsh, E. R. and Tirrell, D. A., "Engineering the extracellular matrix: A novel approach to polymeric biomaterials. I. Control of the physical properties of artificial protein matrices designed to support adhesion of vascular endothelial cells," (2000) <i>Biomacromolecules</i> 1:23-30
	Westerduin, P. et al., "Synthesis of tailor-made glycoconjugates showing AT III-mediated inhibition of blood coagulation factors Xa and thrombin," (1996) Chem. Int. Ed. Engl. 35:331-333
	Westman, J. et al., "Synthesis and fibroblast growth factor binding of oligosaccharides related to heparin and heparan sulphate," (1995) <i>J. Carbohydr. Chem.</i> 14:95-113
	Wick et al., "Unusually large von Willebrand factor multimers increase adhesion of sickle erythrocytes to human endothelial cells under controlled flow," (1987) J. Clin. Invest. 80:905-910
	Wilbur, D.S. et al., "Biotin reagents for antibody pretargeting. 4. Selection of biotin conjugates for <i>in vivo</i> application based on their dissociation rate from avidin and streptavidin," (2000) <i>Bioconjugate Chem.</i> 11:569-583
 \ <u>\</u>	Winger, T.M. et al., "Formation and stability of complex membrane-mimetic monolayers on solid supports," (1999) <i>Langmuir</i> 15:3866-3874
	Winger, T.M. and Chaikof, E.L., "Synthesis and characterization of supported phospholipid monolayers: a correlative investigation by radiochemical titration and atomic force microscopy," (1998) Langmuir 14:4148-4155
	Winger, T.M. and Chaikof, E.L., "Synthesis and characterization of supported bioactive lipid membranes," In: <i>Materials Science of the Cell</i> , A. Plant and V. Vogel (Ed.), MRS Publications, Pittsburgh (1998), pp. 113-118
	Winger T.M. et al., "Behavior of lipid-modified peptides in membrane-mimetic monolayers at the air/water interface," (1997) Langmuir 13:3256-3259
	Winger T.M. et al., "Lipopeptide conjugates: Biomolecular building blocks for receptor activating membrane-mimetic structures. (1996) <i>Biomaterials</i> 17:443-449
	Winger, T.M. et al., "A convenient route to thiol terminated peptides for conjugation and surface functionalization strategies," (1995) <i>Bioconjug. Chem.</i> 6:323-326
	Winger, T.M. et al., Purification of synthetic lipopeptide conjugates by liquid chromatography," (1995) J. Liquid Chromatogr. 18:4117-4125
 	1 2 1 17 17 17 17 17 17 17 17 17 17 17 17 1

<u></u>		
orm PTO 1449		Greenlee, Winner and Sullivan, P.C., 01/21/04
ATTY DOCKET NO. 133-02	SERIAL NO. 10/720,025	FILING DATE 21 November 2003
APPLICANT Chaikof		GROUP

II	
	Wong, J.S. & Yen, Y.S., "Intriguing absorption band behavior of IR reflectance spectra of silicon dioxide on silicon," (1988) Appl. Spectrosc. 42(4):598-604
	Wright, E.R. and Conticello, V.P., "Self-assembly of block copolymers derived from elastin-mimetic polypeptide sequences," (Oct. 2002) <i>Adv. Drug Deliv. Rev.</i> 54(8):1057-1073
	Wright, E.R. et al., "Thermoplastic elastomer hydrogels via self-assembly of an elastin-mimetic triblock polypeptide," (Feb. 2002) <i>Adv. Funct. Mater.</i> 12:149-154;
	Xiao, X-D et al., "Preparation, structure, and mechanical stability of alkylsilane monolayers on mica," (1995) <i>Langmuir</i> 11(5):1600-1604
	Yamada, K. et al., "Controlled synthesis of amphiphilic block copolymers with pendant N-acetyl-D-glucosamine residues by living cationic polymerization and their interaction with WGA lectin," (1999) Macromolecules 32:3553
	Yamada, K. et al., "Controlled synthesis of glycopolymers with pendant D-glucosamine residues by living cationic polymerization," (1997) <i>J. Polym. Sci. Part A: Polym. Chem.</i> 35:751-757
	Yen, YS. and Wong, J. (1989) J. Phys. Chem. 93:7208-7216
	Yoshioko, T. et al., "Encapsulation of mammalian cell with chitosan-CMC capsule," (1990) <i>Biotechnol. Bioeng.</i> 35:66-72
	Yu, S.M. et al., "Smectic ordering in solutions and films of a rod-like polymer owing to monodispersity of chain length," (1997) Nature 389:167-170
	Zhang, H. et al., "Synthesis of 4% glu-containing Val ¹ and Ile ¹ -polypentapeptides: model protein systems for demonstrating mechanochemical coupling," (1989) <i>J. Protein Chem.</i> 8:173-182
	Zierler et al., "Accuracy of duplex scanning for measurement of arterial volume flow," (1992) J. Vasc. Surg. 16(4):520-526

EXAMINER

DATE CONSIDERED

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

12/20/89

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /S.M.N./

Page 27 of 27